



SERVICE TABELL



Modell	År	S/N start	Tennplugg NGK Champion	Plugg gap	Tomg. tenning	Primær tenning	Full tenning	Stift åpning	Tenning rekkeflg	Tomg turtall	Maks turtall	Gir olje
--------	----	-----------	------------------------------	--------------	------------------	-------------------	-----------------	-----------------	---------------------	-----------------	-----------------	-------------

MA 2A	1974-79	646-	B6HS	L86C	0,6mm		1,2-2,0mm	0,35mm	1	950-1050	4000-5000	45ml
MA 2B	1979-87	6A1-	B6HS	L86C	0,6mm		18°	0,35mm	1	1150-1250	4000-5000	45ml
ME/MA 2 4-Takt	2006-	US-R131842	DCPR6E		0,9mm			Motorolje 450ml	1	1100 +/- 50	5000-6000	195ml
ME 2.2	1984-89	8075603	BP6HS-10	L87YC	1,0mm			0,35mm	1	900-1000	4200-5200	89ml
ME/MA 2.5	1990-92	US-A856377 BE-9586000	BP6HS-10	L87YC	1,0mm			0,35mm	1	900-1000	4000-5000	89ml
ME/MA 2.5	1993-07	D901657	BP6HS-10	L87YC4	1,0mm				1	800-900	4000-5000	89ml
ME/MA 2.5 4-Takt	2006-	US-R131842	DCPR6E		0,9mm			Motorolje 450ml	1	1100 +/- 50	5000-6000	195ml
ME/MA/FO 3	1990-92	A856377	BP6HS-10	L87YC4	1,0mm			0,35mm	1	900-1000	4500-5500	89ml
ME/MA 3.3	1993-07	D901657	BP6HS-10	L87YC4	1,0mm				1	800-900	4500-5500	89ml
ME 3.5	1983-85	6202173	BP6HS-10	L87YC4	0,9mm				1	700-900	3500-4500	81ml
MA 3.5	1974-80	642-	B7HS	L82C	0,6mm		17°	0,35mm	1	1100-1200	4000-5000	80ml
ME/MA 3.5 4-Takt	2006-	US-R131842	DCPR6E		0,9mm			Motorolje 450ml	1	1100 +/- 50	5000-6000	195ml
ME 3.6	1980-82	5404657	BP6HS-10	L87YC4	0,9mm				1	700-900	4500-5000	81ml
ME 40	1970-74	US-2771622 BE-9000306	BUHW-2	L78V		5° EØD	0.198∇	0,50mm	1		4500-5000	88ml
ME 40 Gnat	1976-78	BE-9075839	B6HS	L86C	1,3mm	15-18° EØD	12-16° EØD	22-26°	1-2	600-700	4300-4700	81ml
ME 4	1979-80	US-5589202 BE-9208226	BP7HS-10	L82YC4	1,3mm	15-18° EØD	12-16° EØD	22-26°	1-2	600-750	4300-4700	81ml
MA 4	1980-90	6E0-	B7HS	L82C	0,6mm	5° FØD		28°	1	950-1050	4500-5500	105ml
ME/MA 4	1986-07	US-A809601 BE-9477830	BP7HS-10	L82YC4	1,0mm	5° FØD		30°	1	900-1000	4500-5500	195ml
ME/MA 4 4-Takt	1999-	US-R000001 BE-P073456	DCPR6E		0,9mm			Motorolje 450ml	1	1100 +/- 50	4500-5500	195ml
ME 45	1975-78	US-4107220	BUHW-2	L78V		5° EØD	0.198∇	0,50mm	1	650-800	4500-5500	111ml

Modell	År	S/N start	Tennplugg NGK Champion	Plugg gap	Tomg. tenning	Primær tenning	Full tenning	Stift åpning	Tenning rekkeflg	Tomg turtall	Maks turtall	Gir olje
--------	----	-----------	---------------------------	--------------	------------------	-------------------	-----------------	-----------------	---------------------	-----------------	-----------------	-------------

		BE-9072179											
ME 4.5	1979-85	US-5270784 BE-9221756	BUHW-2	L78V		9-12° EØD	5° EØD	0.198∇	0,5mm	1	700-900	4500-5500	111ml
MA 5	1974-80	661-	B7HS	L82C	0,6mm			18°	0,35mm	1	1150-1250	4500-5500	80ml
MA 5	1980-90	6E3-	B7HS	L82C	0,6mm	5° FØD		28°		1	950-1050	4500-5500	105ml
ME/MA 5	1990-07	US-A855097 BE-9589154	BP7HS-10	L82YC4	1,0mm	5° FØD		30°		1	800-900	4500-5500	195ml
ME/MA 5 4-Takt	1999-	US-R000001 BE-P073456	DCPR6E		0,9mm				Motorolje 450ml	1	1100 +/- 50	4500-5500	195ml
FO 5	1988-89		BP6HS	L87YC	0,7mm				0,50mm	1	800-1000	4750-5750	120ml
FO 5	1990-98		BP6HS-10	L87YC4	1,0mm					1	800-1000	5500-6500	120ml
MA 6B	1979-83	678-	B7HS	L82C	0,6mm			25°	0,35mm	1-2	600-700	4500-5500	230ml
MA 6C	1984-85	6H8-	B7HS-10	L82C4	1,0mm	4° FØD		35°		1-2	750-850	4500-5500	160ml
MA 6D		6H6-											
ME/MA 6	1986-93	US-A197112 BE-9461526	BP8HN-10 BP7HS-10	L82YC4	1,0mm	6° FØD 2 prikk		36° 3 prikk		1-2	600-700	4000-5000	200ml
ME/MA 6	1994-07	US-D281000 BE-9792200	BP8HN-10		1,0mm	8*FØD		36*		1-2	650 +/- 75	4000-5000	200ml
ME/MA 6 4-Takt	1999-	US-R000001 BE-P073456	DCPR6E		0.9mm				Motorolje 450ml				192ml
ME 75	1970-73	US-2810637 BE-9000102	BUHW-2	L78V			2° EØD	34°	0,50mm	1-2	500-550	4500-5500	88ml
ME 75	1974-78	US-3801458 BE-9043194	BUHW-2	L78V		10-15° EØD		30-35° eller merke		1-2	650-750	4500-5500	111ml
ME 7.5	1979-85	US-5226935 BE-9219255	B9HS-10	L77C4	1,0mm			1.04∇ eller merke		1-2	550-750	5000-5800	111ml
MA 8A	1974-76	655-	B6HS	L86C	0,6mm	1mm		25°	0,35mm	1-2	900-1000	4500-5500	230ml
MA 8B/Work	1977-86	677-	B7HS	L82C	0,6mm			25°	0,35mm	1-2	600-700	4500-5500	230ml
MA 8C	1984-87	6G1-	B7HS-10	L82C4	1,0mm	4° FØD		35°		1-2	750-850	4500-5500	160ml
MA 8 Kerosen	1984-85	680-											
ME/MA 8	1986-93	US-A197112 BE-9461526	BP8HN-10 BP7HS-10	L82YC4	1,0mm	6° FØD 2 prikk		36° 3 prikk		1-2	600-700	4500-5500	200ml
ME/MA 8	1994-07	US-D281000 BE-9792200	BP8HN-10		1,0mm	8* FØD		36*		1-2	725 +/- 50	4500-5500	200ml
ME/MA 8 4-Takt	1995-04	US-H000058	CR6HS	ZR8C	0,6mm	5* FØD		35*	Motorolje 1000ml	1-2	950 +/- 50	5000-5500	200ml

Modell	År	S/N start	Tennplugg NGK Champion	Plugg gap	Tomg. tenning	Primær tenning	Full tenning	Stift åpning	Tenning rekkeflg	Tomg turtall	Maks turtall	Gir olje
--------	----	-----------	---------------------------	--------------	------------------	-------------------	-----------------	-----------------	---------------------	-----------------	-----------------	-------------

ME/MA 8 4-Takt (209cc)	2005-	US-R042475 BE-P325500	DCPR6E								5000-6000		
ME 110	1970-73	US-2798057 BE-9008004	BUHW-2	L78V			2° EØD	34°	0,50mm	1-2	500-550	4500-5500	88ml
ME 110	1974-78	US-3795658 BE-9041439	BUHW-2	L78V			10-15° EØD	30-35° eller merke		1-2	650-750	4500-5500	111ml
ME 9.8/110	1979-85	US-5206550 BE-9217756	BP9HS-10	L77YC4	1,0mm			1.04∇ eller merke		1-2	550-750	5000-5800	111ml
MA 9.9 Magneto	1978-82	682-	B7HS	L82C	0,6mm		4° EØD	25°	0,35mm	1-2	600-700	4500-5500	225ml
MA 9.9 CDI	1983-86	682-	B7HS-10	L82C4	1,0mm		5° FØD	30°		1-2	700-800	4500-5500	185ml
ME/MA 9.9	1986-93	US-A197112 BE-9461526	BP8HN-10 BP7HS-10	L82YC4	1,0mm		6° FØD 2 prikk	36° 3 prikk		1-2	700-800	5000-6000	200ml
ME/MA 9,9	94-07	US-D281000 BE-9792200	BP8HN-10		1,0mm		8* FØD	36*		1-2	725 +/- 50	5000-6000	200ml
ME/MA 9.9 4-Takt (232cc)	1995-98	US-H000058 -H016909	CR6HS	ZR8C	0,6mm		5° FØD	35°	Motorolje 1000ml	1-2	800-900	4500-5500	200ml
ME/MA 9.9 4-Takt (323cc)	1999-04	US-G760300	DPR6EA-9		1,0mm				Motorolje 1000ml				200ml 230ml BF
ME/MA 9,9 4-Takt (209cc)	2005-	US-R042475 BE-P325500	DCPR6E									5000-6000	
FO 9.9	1988-89		B7HS	L82C	0,70mm				0,50mm	1-2	600-700	4600-5600	148ml
FO 9.9	1990-92		BP7HS	L82YC	0,70mm					1-2	600-700	4500-5500	148ml
F0 9.9	1993-98		BP7HS-10	L82YC	1,0mm					1-2	700-800	4000-5000	148ml
ME/MA 10 VI/XR/SP/MA	1990-93	US-D038000 BE-9596000	BP8HS-15	L78YC6	1,5mm		6° FØD 2 prikk	36° 3 prikk		1-2	700-800	5000-6000	200mL
ME/MA 10 VI/XR/SP/MA	1994-07	US-D281000 BE-9792200	BP8HS-15	L78YC6	1,5mm		8*FØD	36*		1-2	725 +/-50	5000-6000	200ml
MA 15A	1974-78	651-	B7HS	L82C	0,6mm			22°	0,35mm	1-2	1000-1200	4500-5500	180ml
MA 15 Work	1974-89	662-	B7HS	L82C	0,6mm			23°	0,35mm	1-2	1000-1200	4500-5500	180ml
MA 15 Magneto	1978-82	684-	B7HS	L82C	0,6mm		4° EØD	25°	0,35mm	1-2	600-700	4500-5500	225ml
MA 15 CDI	1983-92	684-	B7HS-10	L82C4	1,0mm		5° FØD	30°		1-2	700-800	4500-5500	185ml
MA 15 Kerosé	1983-85	669-								1-2			
MA 15 Kerosé	1989-	6K4-								1-2			

Modell	År	S/N start	Tennplugg NGK Champion	Plugg gap	Tomg. tenning	Primær tenning	Full tenning	Stift åpning	Tenning rekkeflg	Tomg turtall	Maks turtall	Gir olje
--------	----	-----------	---------------------------	--------------	------------------	-------------------	-----------------	-----------------	---------------------	-----------------	-----------------	-------------

ME/MA 15	1989-93	US-B292414 BE-9542620	BP8HS-15	L78YC6	1,5mm	6° FØD 2 prikk		36° 3 prikk		1-2	700-800	5000-6000	200ml
ME/MA 15	1994-	US-D281000 BE-9792200	BP8HS-15		1,5mm	8* FØD		36*		1-2	725 +/- 50	5000-6000	200ml
ME/MA 15 4-Takt	1998-	US-G590000	DPR6EA-9		1,0mm	6* FØD		30*	Motorolje 1000ml	1-2	850 +/- 50	4500-5500	200ml 440ml BF
FO 15	1988-89		B7HS	L82C	0,70mm				0,50mm	1-2	600-700	4750-5750	148ml
FO 15	1990-92		BP7HS	L82YC	0,70mm					1-2	600-700	5500-6500	148ml
F0 15	1993-98		BP7HS-10	L82YC	1,0mm					1-2	700-800	5500-6500	148ml
ME 18	1981-83	US-5837437 BE-9308306	BP8HN-10	L77C4	1,0mm		Forg BCIA 12°E/2 prikk	25° 3 prikk		1-2	700-800	5000-5500	225ml
ME 18 XD	1984-85	US-6443973 BE-9378151	BP8HN-10	L76V			2° (strek til høyre for prikk)	25° 3 prikk		1-2	700-800	4500-5500	225ml
ME 200	1970-72	US-2827677 BE-9000867	BUHW-2	L78V			1°FØD- 4°EØD	31-36°	0,50mm	1-2	550-600	4800-5500	177ml
ME 200	1973-74	US-3537531 BE-9016254	BUHW-2	L78V			2°FØD- 2°EØD	33°		1-2	550-650	5000-5400	177ml
ME 200 / 20	1975-78	US-4102790 BE-9070129	BUHW-2	L78V		10° EØD	3-7° FØD	33°		1-2	550-650	4800-5500	192ml
ME 20	1983-84	US-6416713 BE-9391081	BP8HN-10	L77C4	1,0mm		Forg BCIA 12°E/2 prikk Forg BCIB-C 5°E/4prikk	25° 3 prikk		1-2	600-700	5400-6000	225ml
MA 20A	1974-79	653-	B6HS	L86C	0,6mm	6° EØD		20°	0,35mm	1-2	650-700	4500-5500	280ml
MA 20C	1980-85	6A9-	B7HS	L82C	0,6mm	2° FØD		21°		1-2	750-850	4500-5500	180ml
ME/MA 20	1985-95	US-6443973 BE-9415101	BP8HN-10	L76V			2° (strek til høyre for prikk)	25° 3 prikk		1-2	700-800	4500-5500	225ml
ME/MA 20	1995-07	US-G044027 BE-9807909	BP8HN-10		1,0mm	2-6° FØD		25°		1-2	700-800	4500-5500	225ml
ME 25	1980-83	US-5705532 BE-9315316	BP8HN-10	L77C4	1,0mm		Forg BCIA 12°E/2 prikk Forg BCIB-C	25° 3 prikk		1-2	600-700	5400-6000	225ml

Modell	År	S/N start	Tennplugg NGK Champion	Plugg gap	Tomg. tenning	Primær tenning	Full tenning	Stift åpning	Tenning rekkeflg	Tomg turtall	Maks turtall	Gir olje
--------	----	-----------	---------------------------	--------------	------------------	-------------------	-----------------	-----------------	---------------------	-----------------	-----------------	-------------

							5°E/4prikk						
MA 25A / Marathon	1974-90	648-	B7HS	L82C	0,6mm	0°		24°	0,35mm	1-2	650-700	4700-5700	180ml
MA 25C	1979-89	695-	B7HS	L82C	0,6mm	2° FØD		24°		1-2	650-750	4500-5500	180ml
MA 25 Work	1983-87	694-								1-2			
MA 25 Kerosene	1983-87	6A4-								1-2			
ME/MA 25	1984-95	US-6443973 BE-9415101	BP8HN-10	L76V			2° (strek til høyre for prikk)	25° 3 prikk		1-2	700-800	5000-6000	225ml
ME/MA 25	1995-07	US-G044027 BE-9807909	BP8HN-10		1,0mm	2-6° FØD		25°		1-2	700-800	5000-6000	225ml
ME/MA 25 4-Takt	1998-	US-G590000	DPR6EA-9		1,0mm	Se Service- Manual		30*	Motorolje 3000ml	1-2	775 +/- 25	5500-6000	440ml
MA 28	1975-79	664-	B7HS	L82C	0,6mm	2° FØD		24°	0,35mm	1-2	1000-1100	4500-5500	190ml
MA 30A	1979-94	689-	B7HS	L82C	0,6mm	5°		25°		1-2			
ME/MA 30 (430cc)	1997-07	N001875	BR7HS-10									4800-5500	
ME/MA 30 (644cc)	1994-07	US-G053314	BP8HN-10		1,0mm	3° FØD		25°		1-2	700-750	4500-5500	440ml
ME/MA 30 4-Takt (3-cyl)	1999-	US-6760300	DPR6EA-9		1,0mm	10* EØD		28*	Motorolje 3000ml	1-2-3	800 +/- 25	5500-6000	440ml
ME/MA 30 4-Takt EFI (3-cyl)	2002-	US-T409000		RA8HC	1,0mm	Kontrolert av ECM	17* FØD (1800-2000)	28* FØD (6000)	Motorolje 3000ml	1-2-3	775 +/- 25	5500-6000	440ml 710ml BF
ME 35	1984-91	US-6445653 BE-9384476	BUHW	L76V			2-5° FØD	27°		1-2	600-700	5400-6000	370ml
FO 35	1986-91		B7HS	L82C	0,70mm					1-2	700-800	4250-5250	360ml
ME 400	1970-71	2874704	BUHW	L76V			5-7° FØD	27°		1-2	550-600	4800-5300	266ml
ME 402	1972-74	US-3336258 BE-9005204	BUHW	L76V			5-7° FØD	27°		1-2	550-600	4800-5300	266ml
ME 402	1975-78	US-4117710 BE-9076839	BUHW	L76V			2 prikker	Hel strek		1-2	550-650	5000-5500	370ml
ME 40	1979-83	5174089	BUHW	L76V			2-5° FØD	27°		1-2	600-700	5200-5500	370ml

Modell	År	S/N start	Tennplugg NGK Champion	Plugg gap	Tomg. tenning	Primær tenning	Full tenning	Stift åpning	Tenning rekkeflg	Tomg turtall	Maks turtall	Gir olje
--------	----	-----------	---------------------------	--------------	------------------	-------------------	-----------------	-----------------	---------------------	-----------------	-----------------	-------------

MA 40 / Work	1977-79	676-	B8HS	L78C	0,6mm	4° FØD		26°	0,35mm	1-2	850-950	4500-5500	430ml
MA 40 CDI	1979-83	676-	B8HS	L78C	0,6mm	4° FØD		26°		1-2	900-1000	4500-5500	330ml
MA 40 Dobb Forgasser	1981-94	6E9-	B8HS	L78C	0,6mm	2° FØD	6° FØD	22°		1-2	900-1000	4500-5500	330ml
MA 40 Marathon	1986-94	6F6-	B8HS	L78C	0,6mm	2° FØD	6° FØD	22°		1-2	900-1000	4500-5500	430ml
ME/MA 40 (4-cyl)	1989-	US-C159200 BE-9570790	BUHW-2	L78V		3-10° EØD	2°FØD- 2°EØD	30°		1-3-2-4	600-700	5000-5500	370ml
ME/MA 40 (2-cyl)	1994-07	0G053314	BP8HN-10		1,0mm	3° FØD		25°		1-2	700-750	5000-5500	440ml
ME/MA 40 (3-cyl)	1997-07	US-G531301 BE-9973100	BP8HN-10		1,0mm					1-2-3	675 +/- 25	5000-5500	440ml
ME/MA 40 4-Takt (3-cyl)	1999-	US-G760300	DPR6EA-9		1,0mm	10* EØD		28*	Motorolje 3000ml	1-2-3	800 +/- 25	5500-6000	440ml 665ml BF
ME/MA 40 4-Takt EFI (3-cyl)	2002-	US-T409000		RA8HC	1,0mm	Kontrolert av ECM	17*FØD (1800-2000)	28* FØD (6000)	Motorolje 3000ml	1-2-3	775 +/- 25	5500-6000	440ml 710ml BF
ME/MA 40 4-Takt (4-cyl)	1998-	US-G231123	DPR6EA-9		1,0mm	5* FØD		25*	Motorolje 3000ml	1-3-4-2	725 +/- 25	5500-6000	440ml
ME/MA 40 4-Takt EFI (4-cyl)	2002-	US-T409000		RA8HC	1,0mm	Kontrolert av ECM	14* FØD (1500-1800)	28* FØD (6000)	Motorolje 3000ml	1-3-4-2	725 +/- 25	5500-6000	340ml 710ml BF
FO 40	1992-94		BUHW	L76V				30°		1-2	700-800	4750-5250	360ml
FO 40	1995-	0E093728	BUHW	L76V				30°		1-2	700-800	4750-5250	440ml
ME/MA 45	1986-89	US-4576236 BE-9130249	BUHW-2	L78V		3-10° EØD	2°FØD- 2°EØD	30°		1-3-2-4	600-700	5000-5500	370ml
ME/MA 45 4-Takt	1996-	US-G231123	DPR6EA-9		1,0mm	5* FØD		25*	Motorolje 3000ml	1-3-4-2	850 +/- 25	5500-6000	440ml
MA 48	1975-83	670-	B7HS	L82C	0,6mm	4° FØD	4° FØD	20°		1-2	850-900	4500-5500	500ml
ME 500	1968-74	US-2306756 BE-9001581	BUHW	L76V			7-9° FØD	35°		1-3-2-4	550-600	5200-5600	266ml
ME 500	1975	US-4141000	BUHW	L76V		3-5° EØD	7-9° FØD	35°		1-3-2-4	550-600	4800-5500	370ml

29.04.2009

Modell	År	S/N start	Tennplugg NGK Champion	Plugg gap	Tomg. tenning	Primær tenning	Full tenning	Stift åpning	Tenning rekkeflg	Tomg turtall	Maks turtall	Gir olje
--------	----	-----------	---------------------------	--------------	------------------	-------------------	-----------------	-----------------	---------------------	-----------------	-----------------	-------------

		BE-9082514											
ME 500	1976	US-4357640 BE-9107214	BUHW	L76V		5° EØD	7-9° FØD	30°		1-3-2-4	550-600	4800-5500	370ml
ME 500 / 50	1977-79	US-4576237 BE-9136250	BUHW-2	L78V		5° EØD	7-9° FØD	30°		1-3-2-4	550-600	5000-5500	370ml
ME/MA 50	1980-85	US-5531630 BE-9248006	BUHW-2	L78V		3-10° EØD	2°FØD- 2°EØD	30°		1-3-2-4	600-700	5000-5500	370ml
ME/MA 50	1986-91	US-6428681 BE-9385911	BUHW	L76V		6-8° EØD		22°		1-3-2	600-700	5300-5800	370ml
ME/MA 50	1991-1997	US-D000750 BE-9671687	BU8H BP8HN-10	L78V		2-6° EØD		22°		1-3-2	650-700	5000-5500	340ml
ME/MA 50	1998-07	US-G590000 BE-9973100	BP8HN-10		1,0mm					1-2-3	675 +/- 25	5000-5500	440ml
ME/MA 50 4-Takt	1995- 2000	US-G231123	DPR6EA-9	RA8YC4	1,0mm	5° FØD		35°	Motorolje 3000ml	1-3-4-2	650-750	5500-6000	440ml 665ml BF
ME/MA 50 4-Takt	2001-	US-T178500 BE-P094500	DPR6EA-9		1,0mm	5* FØD		28*	Motorolje 3000ml	1-3-4-2	725 +/- 25	5500-6000	340ml 665ml BF
ME/MA 50 4-Takt EFI	2002-	US-T409000		RA8HC	1,0mm	Kontrolert av ECM	14* FØD (1500-1800)	28* FØD (6000)	Motorolje 3000ml	1-3-4-2	725 +/- 25	5500-6000	340ml 710ml BF
FO 50	-91		B7HS	L82C	0,70mm			30°		1-2	700-800	4500-5500	360ml
FO 50	1992-94		BUHW	L76V				30°		1-2	700-800	4750-5250	360ml
FO 50	1995-	0E093742	BUHW	L76V				30°		1-2	700-800	4750-5250	440ml
MA 55	1974-76	663-	B8HS	L78C	0,6mm	0°	2° FØD	26°		1-2	800-900	4500-5500	500ml
ME/MA 55	1992-1997	US-D082000 BE-9682500	BP8HS-10	L78YC4	1,0mm	2-6° EØD		16°		1-3-2	650-700	5000-5500	340ml
ME/MA 55	1998-07	US-G290985 BE-9885345	BP8HN-10		1,0mm					1-2-3	675 +/- 25	5000-5500	340ml
MA 60	1976-81	675-	B8HS	L78C	0,6mm	2° EØD		26°		1-2	750-850	4500-5500	500ml
MA 60		6F0-	B8HS-10	L78C4	1,0mm	5° EØD	3° FØD	22°		1-2	750-850	4500-5500	500ml
ME/MA 60	1984-91	US-6428681 BE-9385911	BUHW	L76V		6-8° EØD		22°		1-3-2	600-700	5300-5800	370ml
ME/MA 60	1991-1997	US-D000750 BE-9671687	BU8H BP8HN-10	L78V		2-6° EØD		22°		1-3-2	650-700	5000-5500	340ml

Modell	År	S/N start	Tennplugg NGK Champion	Plugg gap	Tomg. tenning	Primær tenning	Full tenning	Stift åpning	Tenning rekkeflg	Tomg turtall	Maks turtall	Gir olje
--------	----	-----------	---------------------------	--------------	------------------	-------------------	-----------------	-----------------	---------------------	-----------------	-----------------	-------------

ME/MA 60	1998-07	US-G590000 BE-9973100	BP8HN-10		1,0mm				1-2-3	675 +/- 25	5000-5500	340ml 655ml BF	
ME/MA 60 4-Takt	2001-	US-T178500 BE-P094500	DPR6EA-9		1,0mm	5*FØD		28*	Motorolje 3000ml	1-3-4-2	725 +/- 25	5500-6000	340ml 665ml BF
ME/MA 60 4-Takt EFI	2002-	US-T409000		RA8HC	1,0mm	Kontrolert av ECM	14* FØD (1500-1800)	28* FØD (6000)	Motorolje 3000ml	1-3-4-2	725 +/- 25	5500-6000	340ml 710ml BF
ME 650	1970-71	2803562	BUHW	L76V			7-9° FØD	38°		1-3-2-4	550-600	4800-5300	503ml
ME 650	1972-75	US-3293184 BE-9004272	BUHW	L76V			0-5° FØD	23°		1-2-3	550-600	4800-5300	370ml
ME 650	1976	US-4382057 BE-9112989	BUHW	L76V		6-8° EØD	6-8° FØD	23°		1-2-3	550-650	4800-5300	370ml
ME 700 / 70	1977-80	US-4571652 BE-9135825	BUHW	L76V		6-8° EØD		23°		1-2-3	650-750	5000-5500	370ml
ME/MA 70	1981-83	US-5579017 BE-9255131	BUHW	L76V		6-8° EØD		22°		1-3-2	600-700	5300-5800	370ml
ME 70	1986-87	US-A719280 BE-9483121	BUHW-2	L78V		0-4° FØD		22°		1-3-2	650-700	4750-5250	665ml
ME 70	1988-89	US-B239242 BE-9502135	BUHW-2	L78V		0-4° FØD		26°		1-3-2	650-700	4750-5250	665ml
FO 70	1991-		BUHW	L76V				30°		1-2-3	700-800	4500-5500	340ml
ME 75 XD MA 75 Marath	1986-	US-A719280 BE-9483121	BU8H BUHW-2	L78V L78V		0-4° FØD		16°		1-3-2	650-700	4750-5250	665ml
ME/MA 75	1984-86	US-6432901 BE-9393856	BUHW-2	L78V		4-8° EØD	1-5° EØD	27°		1-3-2-4	500-650	5000-5500	621ml
ME/MA 75	1986-87	US-A719280 BE-9483121	BU8H BUHW-2	L78V L78V		0-4° FØD		22°		1-3-2	650-700	4750-5250	665ml
ME/MA 75	1988-93	US-B239242 BE-9502135	BU8H BUHW-2	L78V		0-4° FØD		26°		1-3-2	650-700	4750-5250	665ml
ME/MA 75	1994-07	US-D283222 BE-9793577	BU8H BUHW-2	L78V		2* EØD- 4* FØD		18*		94/95 1-3-2 96- 1-2-3	675 +/- 25	4750-5250	655ml
ME/MA 75 Optimax	2004-	T980000	IZFR5J							1-2-3		5000-5750	655ml
ME/MA 75 4-Takt	1999-05	US-G960500	LFR5A-11						Motorolje 4,5/4,7L	1-3-4-2	850 +/- 25	5000-6000	670ml
ME 800	1969-72	US-2559001 BE-9004402	BUHW	L76V			5-7° FØD	23°		1-3-2-4	550-600	4800-5300	503ml

Modell	År	S/N start	Tennplugg NGK Champion	Plugg gap	Tomg. tenning	Primær tenning	Full tenning	Stift åpning	Tenning rekkeflg	Tomg turtall	Maks turtall	Gir olje	
ME 800 / 80 MA 80	1978-83	US-4831999 BE-9177626	BUHW-2	L78V		5-8° EØD	2°FØD- 2°EØD	27°		1-3-2-4	550-650	5000-5500	621ml
ME 80	1986-87	US-A719280 BE-9483121	BU8H BUHW-2	L78V L78V		0-4° FØD		22°		1-3-2	650-700	4750-5250	665ml
ME 80	1988-89	US-B239242 BE-9502135	BU8H BUHW-2	L78V L78V		0-4° FØD		26°		1-3-2	650-700	4750-5250	665ml
ME 850	1973-74	US-3493913 BE-9011604	BUHW	L76V			3-5° FØD	27°		1-3-2-4	550-600	4800-5500	503ml
ME 850	1975	US-4092965 BE-9069879	BUHW	L76V			3-5° FØD	27°		1-3-2-4	550-600	4800-5500	621ml
ME/MA 80 4-Takt EFI	2006-	US-B172291	LFR5A-11		1,1mm				Motorolje 4,5/4,7L		700 +/- 50	5000-6000	670ml
ME/MA 850	1976-77	US-4366802 BE-9110014	BUHW-2	L78V		5-8° EØD	2°EØD- 4°FØD	27°		1-3-2-4	550-650	5000-5500	621ml
F0 85	-91			UL18V				30°		1-2-3	700-800	5000-5500	780ml
ME 900	1978	4845301	BUHW	L76V			4-6° FØD	21°		1-4-5 2-3-6	550-600	4500-5000	621ml
ME/MA 90	1979-87	5160324	BUHW	L76V			1-3° FØD	18°		1-4-5 2-3-6	550-650	4500-5000	621ml
ME/MA 90	1986-93	US-A996142 BE-9483121	BUHW-2	L78V		0-4° FØD		26°		1-3-2	650-700	5000-5500	665ml
ME/MA 90	1994-07	US-D283222 BE-9793577	BU8H BUHW-2	L78V		2* EØD- 4* FØD		20*		94/95 1-3-2 96- 1-2-3	675 +/- 25	5000-5500	655ml
ME/MA 90 Optimax	2004-	T801000	IZFR5J							1-2-3		5000-5750	655ml
ME/MA 90 4-Takt	1999-05	US-G960500	LFR5A-11						Motorolje 4,5/4,7L	1-3-4-2	850 +/- 25	5000-6000	670ml
FO 90	1992-1994		BUHW	L76V				30°		1-2-3	700-800	5000-5500	1035ml
FO 90	1995-	0E093700	BUHW	L76V				30°		1-2-3	700-800	4750-5250	665ml
ME/MA 100	1988-93	US-B209468 BE-9523034	BP8HN-10			2-4° FØD		23°		1-3-2-4	650-700	4750-5250	665ml
ME/MA 100	1994-00	US-D283222 BE-9793577	BP8HN-10		1,0mm	4* EØD- 2* FØD		94/95 22* 96- 23*		1-3-2-4	675 +/- 25	4750-5250	655ml
ME/MA 100 4-Takt EFI	2006-	US-B172291	LFR5A-11		1,1mm				Motorolje 4,5/4,7L		700 +/- 50	5000-6000	670ml

Modell	År	S/N start	Tennplugg NGK Champion	Plugg gap	Tomg. tenning	Primær tenning	Full tenning	Stift åpning	Tenning rekkeflg	Tomg turtall	Maks turtall	Gir olje
--------	----	-----------	---------------------------	--------------	------------------	-------------------	-----------------	-----------------	---------------------	-----------------	-----------------	-------------

ME 1150	1970-74	2836019	BUHW	L76V			0-7° FØD	21°		1-4-5 2-3-6	550-600	4800-5300	503ml
ME 1150	1975-78	4112635	BUHW	L76V			4-6° FØD	21°		1-4-5 2-3-6	550-600	5000-5500	621ml
ME/MA 115	1979-87	5168574	BUHW	L76V			5-7° EØD	18°		1-4-5 2-3-6	550-650	5000-5500	621ml
ME/MA 115	1989-93	US-C100000 BE-9559771	BP8HN-10		1,0mm	2-4° FØD		23°		1-3-2-4	650-700	4750-5250	665ml
ME MA 115	1994-07	US-D283222 BE-9793577	BP8HN-10		1,0mm	4* EØD- 2* FØD		94/95 22* 96- 23*		1-3-2-4	675 +/- 25	4750-5250	655ml
ME/MA 115 Optimax	1999-03	US-G960500	IZFR5G							1-2-3 4-5-6	550 +/- 25	5000-5500	665ml
ME/MA 115 Optimax	2004-	T801000	IZFR5J							1-2-3		5000-5750	655ml
ME/MA 115 4-Takt EFI	2001	US-T178500	LFR6A-11		1,0-1,1 mm	4* EØD		26*	Motorolje 5L		750 +/-50	5000-6000	665ml
FO 120	1992-94		BUHW	L76V				30°		1-3-2-4	700-800	5000-5500	1035ml
FO 120	1995-	0E093700	BUHW	L76V				30°		1-3-2-4	700-800	4750-5250	665ml
ME/MA 125	1994-07	US-D283222 BE-9793577	BP8HN-10		1,0mm	4* EØD- 2* FØD		94/95 22* 96- 23*		1-3-2-4	675 +/- 25	4750-5250	655ml
FO 125	-91			UL18V				30°		1-3-2-4	700-800	5000-5500	780ml
ME 1350	1970-71	2839369	BUHW	L76V			0-7° FØD	21°		1-4-5 2-3-6	550-600	4800-5300	503ml
ME/MA 135 V-6	1986-88	A904646	BU8H	L78V		11° EØD		16°		1-2-3 4-5-6	600-700	5000-5500	717ml
ME/MA 135 V-6	1989	C100861	BU8H	L78V		3-11° EØD	5-7° EØD	16°		1-2-3 4-5-6	600-700	5000-5500	717ml
ME/MA 135 V-6	1990-91	C221500	BU8H	L78V		2-9° EØD		17°		1-2-3 4-5-6	600-700	5000-5600	717ml
ME/MA 135 V-6	1992-	D082000	BU8H	L78V		0-9° EØD		20°		1-2-3 4-5-6	625-725	5000-5600	717ml

Modell	År	S/N start	Tennplugg NGK Champion	Plugg gap	Tomg. tenning	Primær tenning	Full tenning	Stift åpning	Tenning rekkeflg	Tomg turtall	Maks turtall	Gir olje
--------	----	-----------	---------------------------	--------------	------------------	-------------------	-----------------	-----------------	---------------------	-----------------	-----------------	-------------

ME/MA 135 Optimax	1998-99	US-G590000 - G760299	IZFR5G						1-2-3 4-5-6	550 +/- 25	5000-5600	665ml
ME/MA 135 Optimax	2000-	US-G960500	IZFR5G						1-2-3 4-5-6	550 +/- 25	5000-5500	665ml
ME 1400	1972	3293234	BUHW	L76V		0-7° FØD	21°		1-4-5 2-3-6	550-600	4800-5800	503ml
ME 1400	1978	4865678	BUHW	L76V		4-6° FØD	21°		1-4-5 2-3-6	550-600	5300-5800	621ml
ME/MA 140	1979-81	5189788	BUHW	L76V		4-6° EØD	18°		1-4-5 2-3-6	550-650	5300-5800	621ml
ME 1500	1973-74	3502806	BUHW	L76V		0-7° FØD	21°		1-4-5 2-3-6	550-600	4800-5800	503ml
ME 1500	1975-78	4121435	BUHW	L76V		4-6° FØD	21°		1-4-5 2-3-6	550-600	5300-5800	621ml
ME 1500/150 V-6	1978-79	4868998	BU8H	L78V		7-9° EØD	7-8° EØD	16°	1-2-3 4-5-6	600-700	5000-5500	717ml
ME/MA 150 V-6	1979-88	5203429	BU8H	L78V		11° EØD		16°	1-2-3 4-5-6	600-700	5000-5500	717ml
ME 150 XR2 MA 150 Mag V-6	1986-88	A905191	BU8H	L78V		11° EØD		22°	1-2-3 4-5-6	600-700	5000-6000	717ml
ME/MA 150 V-6	1989	C100861	BU8H	L78V		6-12° EØD	6-12° EØD	16°	1-2-3 4-5-6	600-700	5000-5500	717ml
ME/MA 150 V-6	1990-91	C221500	BU8H	L78V		2-9° EØD		17°	1-2-3 4-5-6	600-700	5000-5600	717ml
ME/MA 150 V-6	1992-	D082000	BU8H	L78V		0-9° EØD		20°	1-2-3 4-5-6	625-725	5000-5600	717ml
ME 150 XR-4 MA 150 Mag2 V-6	1988	B242885	BU8H	L78V		7° EØD		22°	1-2-3 4-5-6	600-700	5000-5500	717ml
ME 150 XR-4 MA 150 Mag2 V-6	1989-90	C100861	BU8H	L78V		3-11° EØD	4-6° EØD	22°	1-2-3 4-5-6	600-700	5000-5500	625ml

Modell	År	S/N start	Tennplugg NGK Champion	Plugg gap	Tomg. tenning	Primær tenning	Full tenning	Stift åpning	Tenning rekkeflg	Tomg turtall	Maks turtall	Gir olje
--------	----	-----------	---------------------------	--------------	------------------	-------------------	-----------------	-----------------	---------------------	-----------------	-----------------	-------------

ME 150 XR-4 MA 150 Mag2 V-6	1990-91	C247591	BU8H	L78V			2-9° EØD		19°	1-2-3 4-5-6	625-700	5000-5600	625ml
ME 150 XR-6 MA 150 Mag3 V-6	1992-	D082000	BU8H	L78V			0-9° EØD		20°	1-2-3 4-5-6	625-725	5000-5600	625ml
ME/MA 150 Optimax	1998-99	US-G590000 -G760299	IZFR5G							1-2-3 4-5-6	550 +/- 25	5000-5600	665ml
ME/MA 150 Optimax	2000-	US-G960500	IZFR5G							1-2-3 4-5-6	550 +/- 25	5250-5750	665ml
ME 1750/175 V-6	1976-77	4301235	BUHW	L76V			8-10° EØD		15°	1-2-3 4-5-6	550-650	4800-5800	717ml
ME/MA 175 V-6	1978-84	4838074	BU8H	L78V			14° EØD		18°	1-2-3 4-5-6	600-700	5300-5800	717ml
ME/MA 175 V-6	1985-88	6618751	BU8H	L78V			10° EØD		18°	1-2-3 4-5-6	600-700	5300-5800	717ml
ME/MA 175 V-6	1989	C100861	BU8H	L78V			3-11° EØD	3-5° EØD	18°	1-2-3 4-5-6	600-700	5000-5500	717ml
ME/MA 175 V-6	1990-91	C221500	BU8H	L78V			2-9° EØD		20°	1-2-3 4-5-6	625-700	5000-5600	717ml
ME/MA 175 V-6	1992-	D082000	BU8H	L78V			0-9° EØD		20°	1-2-3 4-5-6	625-725	5000-5600	717ml
ME 2000/200 V-6	1978-79	4839034	BU8H	L78V			12-15° EØD	8-10° EØD	18°	1-2-3 4-5-6	550-650	5300-5800	717ml
ME/MA 200 V-6	1979-81	5363918	BU8H	L78V			10° EØD		18°	1-2-3 4-5-6	600-700	5300-5800	717ml
ME/MA 200 V-6	1982-89	6073192	BU8H	L78V			7-12° EØD		20°	1-2-3 4-5-6	600-700	5300-5800	717ml
ME/MA 200 V-6	1990-91	C291520	BU8H	L78V			2-9° EØD		20°	1-2-3 4-5-6	625-700	5000-5600	717ml

29.04.2009

Modell	År	S/N start	Tennplugg NGK Champion	Plugg gap	Tomg. tenning	Primær tenning	Full tenning	Stift åpning	Tenning rekkeflg	Tomg turtall	Maks turtall	Gir olje
--------	----	-----------	---------------------------	--------------	------------------	-------------------	-----------------	-----------------	---------------------	-----------------	-----------------	-------------

ME/MA 200 V-6	1992-	D082000	BU8H	L78V		0-9° EØD		20°		1-2-3 4-5-6	625-725	5000-5600	717ml
ME/MA 220 EFI V-6	1987-88	B117316	BU8H	L78V		8-10° EØD		20°		1-2-3 4-5-6	600-675	5600-6000	717ml
ME/MA 200 Optimax	1997-99	G386496	IZFR5G							1-2-3 4-5-6		5000-5750	828ml
ME/MA 200 Optimax	2000-	G960500	IZFR5G							1-2-3 4-5-6	550 +/-25 (i fwd gir)	5000-5750	798ml
ME/MA 200 Verado	2005-	T801000	ILFR6G						Motorolje Tot.8L Skift 7L	1-5-3 6-2-4		5800-6400	970ml
ME 225 V-6	1982-	6073192	BU8H	L78V		7-12° EØD		20°		1-2-3 4-5-6	600-700	5300-5800	717ml
ME/MA 225 3,0L V-6 Forgasser	1994	D280813	BP8HN-10		1,0mm	4-9° EØD		ECU P/N 821717 22° 824866-1 25-27°		1-2-3 4-5-6	600-700	5000-5500	828ml
ME/MA 225 3,0L V-6 Forgasser	1995-	D280813	BP8HN-10		1,0mm	4-9° EØD		1995 - 23° 1996 - 26°		1-2-3 4-5-6	600-700	5000-5500	828ml
ME/MA 225 3,0L V-6	1994	D280813	BP8HN-10		1,0mm	4-9° EØD		ECU P/N 821717 22° 824866-1 25-27°		1-2-3 4-5-6	600-700	5000-5500	828ml
ME/MA 225 3,0L V-6 EFI	1995-	G129222		QL77CC	0,9mm	4-9° EØD		1995 - 23° 1996 - 24°		1-2-3 4-5-6	600-700	5000-5800	828ml
ME/MA 225 Optimax	1997-99	G386496	IZFR5G							1-2-3 4-5-6		5000-5750	828ml

Modell	År	S/N start	Tennplugg NGK Champion	Plugg gap	Tomg. tenning	Primær tenning	Full tenning	Stift åpning	Tenning rekkeflg	Tomg turtall	Maks turtall	Gir olje
--------	----	-----------	------------------------------	--------------	------------------	-------------------	-----------------	-----------------	---------------------	-----------------	-----------------	-------------

ME/MA 225 Optimax	2000-	G960500	IZFR5G						1-2-3 4-5-6	550 +/-25 (i fwd gir)	5000-5750	798ml
ME/MA 225 4-Takt EFI	2003-		ILFR6G									
ME/MA 225 Verado	2005-	T801000						Motorolje Tot.8L Skift 7L	1-5-3 6-2-4		5800-6400	970ml
ME/MA 250 3,0L V-6 EFI	1996-	G129222		QL77CC	0,9mm	4-9° EØD		28°	1-2-3 4-5-6	600-700	5000-5800	828ml
ME/MA 250 Verado	2005-	T801000	ILFR6G					Motorolje Tot.8L Skift 7L	1-5-3 6-2-4		5800-6400	970ml
ME/MA 3,4L 250/275/300 V-6	1983-90	5611648	BU8H	L78V		7° EØD		20°	1-2-3 4-5-6	600-750	5000-5500	857ml
ME/MA 275 Verado	2005-	T801000	ILFR6G					Motorolje Tot.8L Skift 7L	1-5-3 6-2-4		5800-6400	970ml